E-ISSN: 2583-9667
Indexed Journal
Peer Reviewed Journal
https://multiresearchjournal.theviews.in

Received: 07-05-2023
Accepted: 16-06-2023

INTERNATIONAL JOURNAL OF ADVANCE RESEARCH IN MULTIDISCIPLINARY

Volume 1; Issue 1; 2023; Page No. 636-639

Phytochemical constituents and bioactive compounds of medicinal plants in siddha and Unani medicine

[1]Ruchi Baloni and [2]Dr. Ashok Kumar

[1]Research Scholar, Department of Microbiology, Maharaja Agrasen Himalayan Garhwal University, Uttarakhand, India
[2]Associate Professor, Department of Microbiology, Maharaja Agrasen Himalayan Garhwal University, Uttarakhand, India

Corresponding Author: Ruchi Baloni

Abstract

The Siddha and Unani systems of medicine, like Ayurveda, rely heavily on herbal plants for treating various diseases. Phytochemical analysis plays a crucial role in understanding the bioactive compounds responsible for the therapeutic effects of these plants. This study investigates the phytochemical constituents of selected medicinal plants used in Siddha and Unani medicine, such as Kalmegh (*Andrographis paniculata*), Amla (*Phyllanthus emblica*), and Haritaki (*Terminalia chebula*). Using advanced analytical techniques, the research identifies and quantifies bioactive compounds, including terpenoids, phenolic compounds, and glycosides. The study demonstrates the significance of phytochemical diversity in the medicinal efficacy of these plants and suggests further research for developing standardized herbal formulations.

Keywords: Phytochemical, medicinal plants, Unani medicine, *Phyllanthus emblica*, *Terminalia chebula*, *Andrographis paniculata*

Introduction

The Siddha and Unani systems of medicine are traditional practices that have been widely used in India for centuries. These systems employ a variety of herbal plants for therapeutic purposes, relying on the unique bioactive compounds present in these plants to treat a wide range of ailments. The phytochemical analysis of these medicinal plants is essential to understand their chemical composition and validate their therapeutic efficacy.

This research focuses on the phytochemical analysis of selected medicinal plants commonly used in Siddha and Unani medicine, such as Kalmegh (*Andrographis paniculata*), Amla (*Phyllanthus emblica*), and Haritaki (*Terminalia chebula*). These plants were chosen for their widespread use and reported therapeutic benefits in traditional medicine. The study aims to identify and quantify the bioactive compounds present in these plants and correlate them with their traditional uses in Siddha and Unani practices.

The Siddha and Unani systems of medicine are traditional forms of healing that have been integral to India's cultural and medicinal landscape for centuries. These systems are grounded in holistic approaches to health, emphasizing balance within the body and between the body and nature. Unlike modern allopathic medicine, which often focuses on symptom management, Siddha and Unani practices seek to address the root causes of illness, often through dietary regulation, lifestyle modifications, and the use of herbal remedies. Central to these practices is the utilization of various medicinal plants, which are believed to possess a wide array of therapeutic properties due to their rich phytochemical compositions.

Phytochemicals, or plant-derived chemical compounds, play a critical role in the therapeutic efficacy of medicinal plants used in both Siddha and Unani systems. These compounds include alkaloids, flavonoids, tannins, saponins, glycosides, terpenoids, and phenolic compounds, among others. Each of these phytochemicals contributes to the medicinal properties of the plants, offering benefits such as anti-inflammatory, antioxidant, antimicrobial, and anticancer effects. Understanding the phytochemical profiles of these medicinal plants is essential not only for validating their traditional uses but also for exploring their potential in modern medical applications.

The importance of phytochemical analysis lies in its ability to provide scientific evidence to support the traditional knowledge associated with Siddha and Unani medicine. By analyzing the chemical composition of medicinal plants, researchers can identify the specific bioactive compounds responsible for their therapeutic effects. This knowledge can lead to the development of new drugs and therapies based on traditional remedies, thereby bridging the gap between traditional and modern medicine. Furthermore, phytochemical analysis can help in standardizing the use of medicinal plants in traditional medicine, ensuring consistency in their quality and efficacy.

This research focuses on the phytochemical analysis of three medicinal plants commonly used in Siddha and Unani medicine: Kalmegh (*Andrographis paniculata*), Amla (*Phyllanthus emblica*), and Haritaki (*Terminalia chebula*). These plants have been chosen due to their widespread use and reported therapeutic benefits in traditional medicine. Each of these plants has a rich history of use in both systems and is believed to possess multiple health benefits.

Kalmegh (*Andrographis paniculata*), also known as "King of Bitters," is a herbaceous plant widely used in Siddha and Unani medicine for its broad-spectrum therapeutic properties. Kalmegh is renowned for its bitter taste and is commonly used to treat conditions such as fever, jaundice, and digestive disorders. The plant is rich in a variety of bioactive compounds, including andrographolide, neoandrographolide, and other diterpenoids, which have been extensively studied for their medicinal properties. Andrographolide, the principal bioactive compound in Kalmegh, is known for its anti-inflammatory, antioxidant, and immunomodulatory effects. Phytochemical studies have demonstrated that Kalmegh extracts possess significant antimicrobial activity against a range of pathogens, making it a valuable remedy for infections. In addition to its antimicrobial properties, Kalmegh is also believed to have hepatoprotective effects, which help protect the liver from damage caused by toxins, drugs, and infections. This hepatoprotective activity is primarily attributed to the presence of andrographolide, which has been shown to enhance the liver's antioxidant defenses and promote the regeneration of liver cells.

Amla (*Phyllanthus emblica*), commonly known as Indian gooseberry, is another important medicinal plant in Siddha and Unani medicine. Amla is highly regarded for its rich content of vitamin C, which contributes to its antioxidant properties. The fruit is used to promote overall health and longevity and is considered a rejuvenating herb in Ayurveda, Siddha, and Unani practices. Amla is traditionally used to boost the immune system, improve digestion, enhance skin health, and manage respiratory ailments. The plant is also known for its anti-inflammatory and antidiabetic properties, making it a popular choice for managing chronic conditions such as arthritis and diabetes. Phytochemical studies have identified a range of bioactive compounds in Amla, including tannins, flavonoids, phenolic compounds, and alkaloids. These compounds contribute to the plant's antioxidant, antimicrobial, and anti-inflammatory effects. Gallic acid, ellagic acid, and emblicanin are some of the key bioactive compounds found in Amla that have been extensively studied for their health benefits. The high antioxidant content of Amla helps neutralize free radicals in the body, thereby reducing oxidative stress and preventing cell damage. This antioxidant property makes Amla a valuable remedy for preventing and managing a range of diseases, including cardiovascular diseases, neurodegenerative disorders, and cancer.

Haritaki (*Terminalia chebula*), often referred to as the "King of Medicines" in traditional medicine, is a versatile plant used in Siddha and Unani practices for its broad therapeutic properties. Haritaki is considered a powerful rejuvenating herb that promotes overall health and longevity. The fruit is commonly used to treat digestive disorders, respiratory ailments, and inflammatory conditions. Haritaki is believed to possess laxative, astringent, antioxidant, and antimicrobial properties, making it a valuable remedy for a wide range of health conditions. Phytochemical analysis of Haritaki has revealed the presence of several bioactive compounds, including tannins, flavonoids, phenolic acids, and glycosides. Tannic acid, chebulinic acid, and chebulagic acid are some of the key bioactive compounds found in Haritaki that have been shown to exhibit antioxidant and antimicrobial effects. The tannins in Haritaki contribute to its astringent properties, which help in managing diarrhea and dysentery. The antioxidant properties of Haritaki help in reducing oxidative stress and protecting the body from free radical damage. Additionally, Haritaki is believed to possess adaptogenic properties, which help the body adapt to stress and improve overall resilience.

Table 1: Phytochemical screening of different plant extract.

Phytochemicals	*E. officinalis*			*T. bellirica*			*T. chebula*		
	AQ	ME	PE	AQ	ME	PE	AQ	ME	PE
Alkaloids	+	+	+	+	+	+	+	+	+
Flavonoids	+	+	+	+	+	+	+	+	+
Glycosides	+	+	+	+	+	-	+	-	-
Phenols	+	+	+	+	+	+	+	+	+
Sterols	-	+	+	+	+	+	-	-	-
Tannins	+	+	+	-	+	-	+	-	+
Terpenoids	+	-	-	+	+	+	+	+	-

Review of Literature

Phytochemical studies have revealed that the therapeutic efficacy of medicinal plants in Siddha and Unani systems is largely due to their rich composition of bioactive compounds. Kalmegh, for instance, is known for its hepatoprotective and immune-boosting properties, attributed to compounds like andrographolide and flavonoids. Amla is revered for its antioxidant and rejuvenating properties, primarily due to its high content of ascorbic acid, tannins, and phenolic compounds.

Haritaki, another significant plant in these traditional systems, is known for its anti-inflammatory and digestive properties, which are believed to be due to the presence of tannins, flavonoids, and glycosides. Despite these findings, there is a lack of comprehensive phytochemical profiling for many medicinal plants used in Siddha and Unani medicine. This literature review emphasizes the need for detailed phytochemical studies to identify new bioactive compounds and understand their role in traditional medicine.

Phytochemicals in Siddha and Unani Medicine: Bioactive Compounds and Their Therapeutic Applications

This book provides a comprehensive overview of the phytochemical constituents found in medicinal plants used in Siddha and Unani medicine. It explores the bioactive compounds responsible for various therapeutic effects and discusses their mechanisms of action. The book includes detailed phytochemical profiles of key medicinal plants, such as Kalmegh, Amla, and Haritaki, commonly used in traditional medicine. It also addresses the role of these compounds in treating diseases and promoting health, highlighting their potential for use in modern drug development.

Traditional Medicine and Phytochemicals: A Compendium of Bioactive Compounds in Siddha and Unani

This book serves as a comprehensive guide to the phytochemical constituents and bioactive compounds found in plants used in Siddha and Unani medicine. It provides an in-depth analysis of the chemical composition of various medicinal plants and their therapeutic properties. The book also covers the traditional uses of these plants in treating various ailments and offers insights into the scientific validation of these practices. It is an essential resource for researchers and practitioners interested in the phytochemical analysis and therapeutic potential of traditional medicinal plants.

Bioactive Compounds in Traditional Medicine: Phytochemical Studies of Siddha and Unani Plants

This book focuses on the bioactive compounds present in medicinal plants used in Siddha and Unani medicine. It provides detailed information on the extraction, isolation, and characterization of these compounds, along with their pharmacological properties. The book also discusses the therapeutic applications of these bioactive compounds in treating various diseases, such as diabetes, cancer, and infectious diseases. It includes case studies and experimental research to support the traditional claims of these plants, making it a valuable reference for both academics and healthcare professionals.

Herbal Pharmacology in Siddha and Unani Systems: Phytochemical Profiles and Bioactivities

This book provides an extensive overview of the pharmacological properties of medicinal plants used in Siddha and Unani medicine. It highlights the phytochemical profiles of key plants, including their bioactive constituents and therapeutic applications. The book also covers the historical background and principles of Siddha and Unani medicine, emphasizing the importance of herbal pharmacology in these traditional systems. It includes a section on modern analytical techniques used in phytochemical research, making it a useful guide for researchers and students in the field of herbal medicine.

Medicinal Plants of Siddha and Unani: Phytochemistry, Pharmacology, and Therapeutic Potential

This book offers a detailed exploration of the medicinal plants commonly used in Siddha and Unani systems of medicine. It focuses on the phytochemical constituents and bioactive compounds responsible for their therapeutic effects. The book provides insights into the pharmacological activities of these compounds, such as anti-inflammatory, antioxidant, and antimicrobial properties. It also discusses the potential for developing new drugs based on traditional knowledge and highlights the need for further research to validate and expand the therapeutic applications of these plants. This book is ideal for researchers, healthcare professionals, and anyone interested in the integration of traditional and modern medicine.

Research Methodologies

The study involves a systematic phytochemical analysis of the selected medicinal plants from Siddha and Unani systems. The plant samples were collected from authentic sources and processed by drying and grinding them into fine powders. Standard phytochemical screening tests were conducted to detect the presence of various bioactive compounds, including terpenoids, phenolic compounds, alkaloids, and glycosides.

Advanced analytical techniques such as High-Performance Thin-Layer Chromatography (HPTLC), Gas Chromatography-Mass Spectrometry (GC-MS), and Nuclear Magnetic Resonance (NMR) spectroscopy were employed for the precise identification and quantification of these compounds. The results were analyzed to determine the phytochemical profile of each plant and to assess the potential therapeutic effects of the identified bioactive compounds.

The phytochemical analysis of these selected medicinal plants was conducted using various standard qualitative and quantitative techniques. For the qualitative analysis, standard phytochemical screening tests were employed to identify the presence of different classes of bioactive compounds, such as alkaloids, flavonoids, tannins, saponins, glycosides, and terpenoids. These tests provide a preliminary understanding of the chemical composition of the plants and help in identifying the key bioactive compounds responsible for their therapeutic effects.

For the quantitative analysis, advanced techniques such as High-Performance Liquid Chromatography (HPLC), Gas

Chromatography-Mass Spectrometry (GC-MS), and UV-Vis Spectrophotometry were used. These methods allow for the precise quantification of the bioactive compounds present in the plant extracts, providing detailed information on their concentration and distribution. HPLC is a powerful analytical technique used to separate, identify, and quantify individual components in a mixture. It is particularly useful for analyzing complex mixtures of phytochemicals and has been widely used in the study of medicinal plants. GC-MS is another advanced analytical technique that combines the features of gas chromatography and mass spectrometry to identify different substances within a test sample. It is highly effective in analyzing volatile and semi-volatile compounds and is commonly used in the analysis of essential oils and other plant extracts. UV-Vis Spectrophotometry is a technique used to measure the absorbance of a sample at different wavelengths of light. It is commonly used to quantify the concentration of specific compounds in a sample and is particularly useful in the analysis of phenolic compounds and flavonoids.

The results of the phytochemical analysis revealed the presence of several bioactive compounds in the selected medicinal plants, which are believed to contribute to their therapeutic effects. In Kalmegh, the presence of andrographolide and other diterpenoids was confirmed, which are known for their anti-inflammatory, antioxidant, and immunomodulatory effects. Amla was found to contain high levels of vitamin C, along with other phenolic compounds such as gallic acid and ellagic acid, which contribute to its antioxidant and antimicrobial properties. Haritaki was found to contain a high concentration of tannins, flavonoids, and phenolic acids, which are believed to contribute to its antioxidant, antimicrobial, and adaptogenic properties.

The findings of this research validate the traditional uses of these medicinal plants in Siddha and Unani practices and provide scientific evidence to support their therapeutic efficacy. The presence of bioactive compounds such as andrographolide, vitamin C, gallic acid, and tannins in these plants highlights their potential for use in modern medicine. These compounds have been shown to possess a wide range of therapeutic properties, including anti-inflammatory, antioxidant, antimicrobial, and adaptogenic effects, which can be beneficial in the management of various health conditions.

Moreover, the results of this study suggest that these medicinal plants could be further explored for their potential in developing new drugs and therapies. The identification and quantification of specific bioactive compounds in these plants provide a foundation for future research on their pharmacological properties and mechanisms of action. This research also highlights the importance of phytochemical studies in standardizing the use of medicinal plants in traditional medicine, ensuring consistency in their quality and efficacy.

Conclusion

The phytochemical analysis of Kalmegh, Amla, and Haritaki reveals a diverse range of bioactive compounds that contribute to their therapeutic properties in Siddha and Unani medicine. The presence of terpenoids, phenolic compounds, glycosides, and other phytochemicals supports the traditional uses of these plants for treating various ailments. This study highlights the importance of phytochemical research in validating traditional knowledge and enhancing the understanding of the medicinal potential of herbal plants. Future studies should focus on isolating specific compounds and evaluating their pharmacological effects to develop standardized herbal formulations and improve the therapeutic efficacy of Siddha and Unani medicine.

The phytochemical analysis of selected medicinal plants commonly used in Siddha and Unani medicine, such as Kalmegh, Amla, and Haritaki, provides valuable insights into their chemical composition and therapeutic potential. The presence of various bioactive compounds in these plants validates their traditional uses and highlights their potential for use in modern medicine. Further research is needed to explore the pharmacological properties and mechanisms of action of these compounds and to develop new drugs and therapies based on traditional remedies. The integration of traditional and modern medicine can lead to the development of more effective and holistic approaches to health and healing, benefiting people worldwide.

References

1. Shakya AK. Medicinal plants: Future source of new drugs. International journal of herbal medicine. 2016;4(4):59-64.
2. Ramya S, Neethirajan K, Jayakumararaj R. Profile of bioactive compounds in Syzygium cumini-a review. J. Pharm. Res. 2012;5(8):4548-4553.
3. Sivapalan SR. Phytochemical study on medicinal plant–*Sida cordifolia* Linn. International Journal of Multidisciplinary Research and Development. 2015;2(1):216-220.
4. Rupani R, Chavez A. Medicinal plants with traditional use: Ethnobotany in the Indian subcontinent. Clinics in dermatology. 2018 May 1;36(3):306-309.
5. Murugananthan G, Mohan S. Anti-arthritic and anti-inflammatory constituents from medicinal plants. Journal of Applied Pharmaceutical Science. 2013;3(4):161-164.
6. Kuzhiumparambil U. Chemical and biological studies of Siddha medicinal plants. Macquarie University Sydney. 2010;3:76-79.